



Φ 630-137

ErP2015
EXCEEDS THE NORM

Φ 630-137 系列轴流风机 Φ 630-137 Series Axial Fan



材 质: 转子铸铝、叶轮塑料PP+GF

Material: Rotor: Aluminum Casting Impeller: PP Plastic

保护等级: IP54

Protection Class: IP54


绝缘等级: F

Insulation Class: F

轴 承: 免维护滚珠球轴承

Bearing: Maintenance Free Ball Bearing




6-Pole




 B型网罩	 C型网罩	 E型导风筒	 G型网罩	 F型正扣面板	 F型反扣面板
Model No.B	Model No.C	Model No.E	Model No.G	Model No.F0	Model No.F1
YWF.A6S-630S-5BIAP0	YWF.A6S-630S-5CIAP0	YWF.A6S-630S-5EIAP0	YWF.A6S-630S-5GIAP0	YWF.A6S-630S-5FIAP0	/
YWF.A6T-630S-5BIAP0	YWF.A6T-630S-5CIAP0	YWF.A6T-630S-5EIAP0	YWF.A6T-630S-5GIAP0	YWF.A6T-630S-5FIAP0	/

 Φ630-137

Model No.D




Model No.B






 D型网罩	电压 Voltage	频率 Frequency	电流 Current	输入功率 Input Power	转速 Speed	电容 Capacitor	风量 Air Flow(OPa)	噪音 Noise	曲线 Curve No.	运行温度 Operating Temperature	认证 Approvals
Model No.D	V	Hz	A	W	RPM	μF	m³/h/CFM	dB(A)	#	Min/Max(°C)	
YWF.A6S-630S-5DIAP0	220/230	50	2.43	480	900	12	11000/6470	67	①	-30 / +60	CCC,CE,RoHS
		60	3.20	680	990		12600/7410	71	②		CCC,CE,RoHS
YWF.A6T-630S-5DIAP0	380/400	50	1.43	480	910	/	11300/6650	69	①	-30 / +60	CCC,CE,RoHS
		60	1.43	670	1030		12700/7470	73	②		CCC,CE,RoHS

 Φ 630-137

Model No.G





Model No.G



Φ630-137

Model No.E



Model No.F0

